



Product Service

Attestation of Compliance

No. E8N 11 10 73342 017

Holder of Certificate: **Sungrow Power Supply Co., Ltd.**No. 2 Tianhu Road, New & High
Technology Industrial Development Zone,
230088 Hefei, Anhui
PEOPLE'S REPUBLIC OF CHINA**Name of Object:** **Converter**
PV Grid Connected Inverter**Model(s):** **SG10KTL,SG12KTL,SG15KTL****Description of Object:**Input voltage: DC 250V~1000V
Max. input power: 11KW,13.2KW,16.5KW
Rated output voltage: 400VAC/3Ø
Rated frequency: 50Hz
Rated output power: 10KW,12KW,15KW
Protection class: I**Tested according to:** EN 61000-6-3:2007
EN 61000-6-2:2005

This Attestation of Compliance is issued according to the Directive 2004/108/EC relating to electromagnetic compatibility on a voluntary basis. It confirms that the listed apparatus complies with all essential requirements of the EMC directive and applies only to the sample and its technical documentation submitted to TÜV SÜD Product Service GmbH for testing and certification. See also notes overleaf.

Test report no.: 4842011249500**Date,** 2011-11-08 (Jun Bao)

After preparation of the necessary technical documentation as well as the EC conformity declaration the required CE marking can be affixed on the product. Other relevant directives have to be observed.

Page 1 of 1



Product Service

CERTIFICATE

No. B 11 11 73342 018

Holder of Certificate: **Sungrow Power Supply Co., Ltd.**

No. 2 Tianhu Road, New & High
Technology Industrial Development Zone,
230088 Hefei, Anhui
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:**Product:****Converter
Grid-connected inverter**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. See also notes overleaf.

Test report no.:

704071135206

**Date,** 2011-12-06
(Zhengdong Ma)

Page 1 of 2



Product Service

CERTIFICATE

No. B 11 11 73342 018

Model(s): SG10KTL, SG12KTL, SG15KTL,
SG10KTL-G, SG12KTL-G, SG15KTL-G

Parameters:

Max. rated d.c. input voltage:	1000V DC
Min. MPP voltage:	250V DC(SG10KTL,SG10KTL-G) 330V DC(SG12KTL, SG12KTL-G) 380V DC(SG15KTL, SG15KTL-G)
Max. MPP voltage:	800V DC
Maximum operating PV input current:	2*20 A
Maximum total PV array short circuit current:	2*25 A
Nominal a.c. output voltage:	3N~, 400V
Nominal a.c. output frequency:	50Hz
Max. continuous a.c. output current:	16A(SG10KTL, SG10KTL-G) 19A(SG12KTL, SG12KTL-G) 24A(SG15KTL, SG15KTL-G)
Max. continuous a.c. output power:	10000W(SG10KTL, SG10KTL-G) 12000W(SG12KTL, SG12KTL-G) 15000W(SG15KTL, SG15KTL-G)
Protection class:	I
Degree of protection:	IP65

Tested according to: EN 62109-1:2010
FprEN 62109-2:2009
DIN V VDE V 0126-1-1:2006
(VDE V 0126-1-1:2006)

Production Facility(ies): 73542

Page 2 of 2

Z. Ma